

MARUTI SUZUKI INDIA LIMITED

Plot No.1, Nelson Mandela Road, Vasant Kunj, New Delhi- 110070, India Dedier Otamp





A whole new world AVVAITS

Introducing a whole new experience for a whole new you. You, who never settles for the ordinary; who enjoys the finer things in life; who will appreciate the Maruti Suzuki Dzire for its authentic sedan styling, indulgent interiors and seamless enhancements.

Drive into a whole new world, in the whole new Maruti Suzuki Dzire.

A whole new LOOK

As you embark on the next journey of your life, the whole new Dzire is all that you need. It's bold, elegant, and classy. Just like you, it now has a whole new identity. Gaze over the immaculate sedan proportions complemented by beautiful chrome highlights that run throughout the car. It's a sublime reflection of your urbanity, with a touch of elegance.



Streamlined design Wide and bold stance

Well-balanced proportions | Smooth Sedan Styling to leave everyone AWESTRUCK











A whole new aspect of TECHNOLOGY

Innovation takes front seat in the whole new Dzire. Move up to the ever-evolving world with the **Auto Gear Shift** technology.



No Clutch Pedal

Enjoy the ease & comfort of driving, even in heavy traffic



The Best of Technology

The revolutionary Auto Gear Shift technology lets you switch between Automatic & Manual mode on the drive



Uncompromised Mileage

Experience unparalleled performance with great fuel efficiency

AUTO GEAR SHIFT





A whole new sense of

SAFETY

You want to sail through every journey while keeping your peace of mind. To ensure the same, the whole new Dzire comes with a standard safety package across all its variants. Advanced features like the Suzuki HEARTECT Platform and dual airbags make the Dzire safe for you and your loved ones. Because, safety always comes first.

restraint system)

ISOFix (child seat | • Anchorages that restrain the child seat


HEARTECT Platform

for a safe and sturdy drive

- Efficiently absorbs collision impact
- Enhanced rigidity and crash safety

Dual Airbags for extra protection


- ABS with EBD to always | Prevents skidding during braking
 - keep you on-track Helps attain minimum stopping distance











A whole new definition of PERFORMANCE

The whole new Dzire is driven by performance. So, everytime you take the steering wheel, you can drive into a whole new world where elegance meets efficiency.

1.3 L Diesel Engine



The whole new Dzire is powered by the superior D13A engine. Equipped with a common-rail injection system and an inter-cooled turbo charger. The DDiS 190 engine delivers best-in-class fuel efficiency and a smoother driving experience. Here, elegance meets efficiency.

Capacit

1248cc



K-series Petrol Engine



Boasting of the unparalleled Variable Valve Timing technology (VVT), the K-12 petrol engine delivers power that you'll feel instantly. The acceleration is smooth, with low emissions and superb fuel efficiency – just what makes it truly special.

apacity 1197cc







Oxford Blue Mature | Rich | Serene



Gallant Red
Vibrant | Luminescent | Audacious



Sherwood Brown Urbane | Organic | Harmonious

A whole new stroke of ELEGANCE

Everyone is unique and so is everyone's Dzire. That is why the whole new Dzire comes in six gorgeous shades. Pick one and let the world know that you have arrived.



Magma Grey Earnest | Compelling | Modest




Silky Silver
Futuristic | Modern | Awe-inspiring



Pearl Arctic White
Pristine | Sophisticated | Lucid





PETROL MT	
21.21# km/l	

n/I					
el	&	spare	tyre		1
		diam'r.	2420	ທ	

	LXi/LDi	VXi/VDi	ZXi/ZDi	ZXi+/ZDi+
TRANSMISSION	MT	MT/AMT	MT/AMT	MT/AMT
AUDIO & ENTERTAINMENT				
Smartplay Infotainment System with				
Navigation and Voice Command				✓
(Android Auto and Apple CarPlay enabled)				
Audio Player with USB, CD, AUX		,	,	
and FM/AM with Bluetooth Connectivity		~	✓	
Steering Mounted Audio &		✓	✓	√
Calling Controls		_	_	,
Audio Remote Control	-	~	✓	(Through smart phone app)
Door Speakers (4 Speakers)	-	✓	✓	✓
Tweeters	-	-	✓	✓
Antenna	✓	✓	✓	✓
COMFORT & CONVENIENCE				
Engine Push Start-Stop Button			,	√
with Smart Key			✓	Y
Auto Headlamp				√
(Lead me to vehicle/follow me home)				
Rear AC Vent	-	✓	✓	✓
Rear Seat Center Armrest with Cup Holder		✓	✓	✓
Remote Keyless Entry System	-	✓	✓	✓
Manual Air Conditioner with Heater	✓	✓	-	-
Automatic Climate Control	-	-	✓	✓
Pollen Filter	✓	✓	✓	✓
Front Accessory Socket	✓	✓	✓	✓
Rear Accessory Socket with Mobile Pocket	-	✓	✓	✓
Central Locking	-	✓	✓	✓
Electromagnetic Trunk Opening	-	✓	✓	✓
Gear Shift Indicator (MT Only)	✓	✓	✓	✓
Power Windows (Front + Rear)	-	✓	✓	✓
Electrically Adjustable ORVMs	-	✓	✓	✓
Electrically Retractable ORVMs	-	-	✓	✓
Driver Side Auto Down Power Window	-	✓	✓	✓
Driver Side Auto Up Power Window	-	-	✓	✓
Tilt Steering	✓	✓	✓	✓
Height Adjustable Driver Seat	-	✓	✓	✓
Adjustable Front Seat Headrests	_	✓	✓	✓
Luggage Room Lamp	-	✓	✓	✓
Bottle Holder on All Doors	✓	✓	✓	✓

LXi/LDi VXi/VDi ZXi/ZDi

Steel

Black

MT MT/AMT MT/AMT

TRANSMISSION

LED Projector Headlamps Daylight Running Lamps Rear Combination LED Lamp High Mounted LED Stop Lamp Chrome Accent Front Grille Body Coloured Door Handles

Body Coloured ORVMs

Door Outer-Weather Strip

Outside Temperature Display Low-Fuel Warning Lamp

Gear Lever and Steering Wheel

Front Door Armrest with Fabric

Front Dome Lamp Tachometer

SAFETY & SECURITY Suzuki HEARTECT Body ABS with EBD and Brake Assist

Reverse Parking Sensors Reverse Parking Camera Anti-Theft Security System Front Fog Lamps Rear Defogger

ISOFix Child Seat Anchorages Front Seat Belt with Pre-Tensioner

Speed-Sensitive Door Locking Night and Day Adjustable IRVM

Key-Left Warning Lamp & Buzzer

Driver & Co-Driver Seat Belt Reminder

Door Ajar Warning Lamp

^Speed Alert

Pinch Guard Power Window (Driver)

and Force Limiter

Engine Immobilizer

Dual Airbags

Urbane Satin Chrome Accents on Console,

Co. Driver Side Sunvisor with Vanity Mirror Driver Side Sunvisor with Ticket Holder

Wheel Cover

INTERIORS

Side Turn Indicators on ORVMs Wheels (Steel/Alloy/Precision-Cut Alloy)

Leather Wrapped Steering Wheel Burl Wood Ornamentation Dual-Tone Interiors Multi-Information Display

EXTERIORS

ZXi+/ZDi+

MT/AMT

Chrome

Steel Alloy Precision-Cut Alloy

Black Chrome

AMT Only

Length (mm) 3995 Width (mm) 1735 Height (mm) 1515 Wheelbase (mm) 2450 Boot Space (L) 378 Engine Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 4 4 4 Transmission 5MT/5AMT 5MT/5AMT Brakes 5mt 5mt Front Disc 5mt Rear Drum 5mt Steering 3mt 4.8 Power Steering Type Electric 5mt Suspension 5mt 5mt Front MacPherson Strut 7ms 7ms Rear Torsion Beam 0thers 9mt 9mt Others 9mt	TECHNICAL SPECIFICATIONS	Petrol	Diesel			
Width (mm) 1735 Height (mm) 1515 Wheelbase (mm) 2450 Boot Space (L) 378 Engine Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Dimension					
Height (mm) 1515 Wheelbase (mm) 2450 Boot Space (L) 378 Engine Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Length (mm)	39	95			
Wheelbase (mm) 2450 Boot Space (L) 378 Engine Female Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Width (mm)	17	1735			
Boot Space (L) 378 Engine Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 5 5 5 5 5 5 5 5 5 5 5 5 <th cols<="" td=""><td>Height (mm)</td><td>15</td><td colspan="3">1515</td></th>	<td>Height (mm)</td> <td>15</td> <td colspan="3">1515</td>	Height (mm)	15	1515		
Engine Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Front MacPherson Strut Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Wheelbase (mm)	24	2450			
Engine Capacity (cc) 1197 1248 Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Boot Space (L)	3.	378			
Max Power (kW @ rpm) 61/6000 55.2/4000 Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Engine					
Max Torque (Nm @ rpm) 113/4200 190/2000 Number of Cylinders 4 4 Transmission Type 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Engine Capacity (cc)	1197	1248			
Number of Cylinders 4 4 Transmission 5MT/5AMT 5MT/5AMT Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Max Power (kW @ rpm)	61/6000	55.2/4000			
Transmission Type 5MT/5AMT 5MT/5AMT Brakes Bront Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Max Torque (Nm @ rpm)	113/4200	190/2000			
Type 5MT/5AMT 5MT/5AMT Brakes Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Seating Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Number of Cylinders	4	4			
Brakes Front Disc Rear Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Transmission					
Front Disc Rear Drum Steering Turning Radius (m) Power Steering Type Electric Suspension MacPherson Strut Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Туре	5MT/5AMT	5MT/5AMT			
Steering Drum Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Torsion Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 <th cols<="" td=""><td>Brakes</td><td></td><td></td></th>	<td>Brakes</td> <td></td> <td></td>	Brakes				
Steering Turning Radius (m) 4.8 Power Steering Type Electric Suspension Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Front	Di	Disc			
Turning Radius (m) 4.8 Power Steering Type Electric Suspension MacPherson Strut Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 37 37 Kerb Weight (kg) 860-895 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-990 955-99	Rear	Dr	Drum			
Power Steering Type Electric	Steering					
Suspension MacPherson Strut Front MacPherson Strut Rear Torsion Beam Others Step 1 Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Turning Radius (m)	4	4.8			
Front MacPherson Strut Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 37 37 Kerb Weight (kg) 860-895 955-990 955-990 <	Power Steering Type	Elec	Electric			
Rear Torsion Beam Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Suspension					
Others Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Front	MacPher	MacPherson Strut			
Fuel Tank Capacity (L) 37 37 Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Rear	Torsion	Torsion Beam			
Kerb Weight (kg) 860-895 955-990 Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Others					
Gross Vehicle Weight (kg) 1315 1405 Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Fuel Tank Capacity (L)	37	37			
Seating Capacity 5 5 Tyre size (Steel) 165/80 R14 165/80 R14	Kerb Weight (kg)	860-895	955-990			
Tyre size (Steel) 165/80 R14 165/80 R14	Gross Vehicle Weight (kg)	1315	1405			
	Seating Capacity	5	5			
Tyre size (Alloy) 185/65 R15 185/65 R15	Tyre size (Steel)	165/80 R14	165/80 R14			
	Tyre size (Alloy)	185/65 R15	185/65 R15			

Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. Spare tyre wheel material is st R14. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. # As certified by Test Agency under Rule 115 of CMVR, 1989. 2020 sales points, 3200 service centers, 1652 cities covered by service network and

^The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.