

THE NEXT-GEN = RT GA



EXTERIOR

Elegant from every angle, the Ertiga is designed to bring out the stylish side of togetherness.



Dynamic Chrome Winged Front GrilleThe most stylish way to make an entrance.



New Back Door Garnish with Chrome Insert Let those second looks chase you.



Machined Two-Tone Alloy Wheels Make a statement, every time.

TECHNOLOGY

Togetherness, driven by technology.
The Ertiga is equipped with state-of-the-art technology to add more fun to your moments of togetherness.



6-Speed AT with Paddle ShiftersSurge ahead by engaging the smart paddle shifters.



17.78cm Smartplay ProConnect with your world with just a voice command - "Hi Suzuki".



Connected Car Technology with Suzuki Connect Always stay connected with your car.

INTERIOR • Space and sophistication blend perfectly inside the Ertiga.



Sculpted Dashboard with Metallic Teak-Wooden Finish

Get welcomed by elegance every time you step in.



Large & Flexible Boot Space A lot can go in before you do.



Smart Flexi Seating with 2nd & 3rd Row Recliner Seats

Spacious and smart with 2nd row one-touch recline & slide for easy 3rd row access.



2nd Row Roof-Mounted AC

A cool experience for all with 3-Stage Speed Control.

PERFORMANCE

Ertiga is engineered for enhanced refinement with improved fuel efficiency, ensuring a pleasurable driving experience for all.





Next Gen 1.5L K-Series Engine with Smart Hybrid Technology
Performance that cannot be ignored.
Refinement that can always be felt.



S-CNG

DRIVE SMART. CHOOSE GREEN.

Next Gen 1.5L K-Series Engine with S-CNG Technology Enjoy performance that's driven

with safety and savings.


BS6 compliant

SAFETY

The reliable and proven Heartect Platform coupled with Quad Airbags in the Ertiga are engineered to cocoon every passenger in complete safety and peace of mind.



Quad AirbagsEnhanced safety for everyone.



HEARTECT PlatformImproves overall safety and performance.



Hill Hold TechnologyPrevents the car from rolling back momentarily.

EQUIPMENT LIST

FEATURES & SPECIFICATIONS		VARIANTS		
Grade Name	LXi MT	VXi MT / VXi AT	ZXi MT / ZXi AT /	ZXi+ MT/ ZXi
INTERIOR		7 VAI ONO	EM ONO	741
Sculpted Dashboard with Metallic Teak-Wooden Finish	-		J	V
Metallic Teak-Wooden Finish on Door Trims (Fr.)	-	-	· √	√
Premium Dual Tone Interiors	√	1	, ,	· √
Height Adjustable Driver Seat	<u> </u>		J	- √
2nd Row 60:40 Split Seats with One Touch Recline & Slide	J	J	1	, ,
3rd Row 50:50 Split Seats with Recline function	, ,	· ·	1	√
Flexible luggage space with Flat Fold (3rd Row)	1	1	1	1
Plush Dual-Tone Seat Fabric	-	<u> </u>	√	√
Fr. Seat Back Pockets	+ -	Co-driver	J	√
Sliding Armrest with Utility Box (Front Row)	-	- CO dilvei	1	√
2nd Row Center Armrest	_	J	1	J
Leather Wrapped Steering Wheel with Metallic Teak-Wooden Finish	-	+ · ·	V	√ √
Adjustable Headrest (All Rows)	1	√	√ ·	√ √
Adjustable Headlest (All Hows)	٧	J	V /	٧
Split Type Luggage Board	-	(Except CNG)	(Except CNG)	√
Driver Side Sunvisor with Ticket Holder	√	1	1	√
Passenger Side Sunvisor with Vanity Mirror	-	√ √	√	√
Dazzle Chrome Tipped Parking Brake Lever	-	1	1	√
Gear Shift Knob with Dazzle Chrome Finish	-	√	· /	√
EXTERIOR				
Projector Headlamps (Halogen)	√	√	√	√
3D Origami Style LED Tail Lamps	1	1	1	√
Dynamic Chrome Winged Front Grille	Painted	Chrome	Chrome	Chrome
Floating Type Roof Design in Rear	√ united	√ v	J.	√ v
Full Wheel Caps	√	1	-	-
Machined Two-tone Alloy Wheels'**	<u> </u>	 	1	J
Turn Signal Lamp Integrated in ORVMs	-	√ √	1	√
New Back Door Garnish with Chrome Insert	-	<u> </u>	, ,	√
Rear Wiper & Washer	1 -	1 -	V /	√
Body Coloured Door Handles	_	J	·	
Chrome Plated Door Handles	-	+ · ·	J	√
Body Coloured ORVMs	-	1	-/	√
INSTRUMENT CLUSTER				•
MID With Coloured TFT	1	1	J	√
Tachometer	1	1	1	√
Gear Shift Indicator (MT)	· /	1	, ,	√
Digital Clock	1	1	· /	√
Outside Temperature Gauge	-	1	· /	√
Fuel Consumption (Instantaneous and Avg)**	√	J	,	√
Dedicated CNG Fuel Gauge	<u> </u>	√(CNG)	√(CNG)	-
Total CNG Mode Time		√(CNG)	√(CNG)	
Distance to Empty**	√	√(O/O)	√ (SILO)	√
Headlamp On Warning	√	1	1	√
Door Ajar Warning Lamp	√	1	, ,	√
COMFORT & CONVENIENCE			·	
Engine Push Start/Stop with Smart Key			J	4
Manual AC (Front)	√	√ √	-	-
Auto AC (Front)	<u> </u>	-	1	√
2nd Row Roof Mounted AC with 3 Stage Speed Control	-	1	· /	√
Air Cooled Twin Cup Holders (Console)	√	√	· /	√
Rear Defogger	-	-	√	√
Remote Keyless Entry	-	√ √	√ (Smart Key)	√ (Smart Ke
Power Socket (12V) Front Row with Smartphone Storage Space	√	√	√ /	√
Power Socket (12V) 2nd Row	-	√	√	√
2nd Row Smart Phone Storage Space	-	-	√	√
Power Socket (12V) 3rd Row	-	-	√	√
Power Windows (Fr/Rr) with Dr. Side Auto Down Functions	√	√	√	√
Auto Window Up (Dr. Side with anti-pinch)	-	√	√	√
Day & Night Adjustable IRVM (Manual)	-		√	√
Power & Tilt Steering	√	√	√ ·	√
Electrically Adjustable ORVMs	-	√	√	√
Electrically Foldable ORVMs	-	√	√	√
Retractable ORVMs (Key Operated)	-	-	-	√
Bottle Holders (in each row)	√	√	√	√

^{*}As certified by Test Agency Under Rule 115 of CMVR 1989. **Except CNG.

FEATURES & SPECIFICATIONS			IANTS	
Grade Name	LXi MT	VXi MT / VXi AT / VXi CNG	ZXi MT / ZXi AT / ZXi CNG	ZXi+ MT/ ZXi+ A
Cabin Lamp (Fr.+Rr.)	√	√	√	√
Cruise Control	-	-	-	√
Paddle Shifters	-	√ (AT)	√ (AT)	√ (AT)
Foot Rest	√	√	√	√
Auto Headlamps with Follow Me Home/Lead me to Vehicle Feature	-	-	-	√
INFOTAINMENT SYSTEM				
17.78cm SmartPlay Pro Touch Screen Infotainment System	-	-	-	√
17.78cm SmartPlay Studio Touch Screen Infotainment System	-	-	√	-
Premium Sound System	-	-	-	ARKAMYS (Surround Sense)
Android Auto* & Apple Car Play~	-	-	√	√ Wireless
Audio System with Electrostatic Touch Buttons	-	√ √	-	-
Bluetooth Connectivity	-	√	√	√
Speakers (4)	-	√	√	√
Tweeters (2)	-	-	√	√
USB and AUX Connectivity	-	√	√ USB Only	√ USB Only
Steering Mounted Audio Controls	-	√	√	√
Steering Mounted Calling Controls	-	√	√	√
SAFETY & SECURITY				
Suzuki Heartect Platform	√	√	√	√
Dual Front Airbags	√	√	√	√
Fr. Seat Side Airbags	-	-	-	√
ABS with EBD and Brake Assist	√	√	√	√
Engine Immobilizer	√	√	√	√
Electronic Stability Program	√	√	√	√
Hill Hold	√	√	√	√
ISOFIX Child Seat Anchorages (2nd Row Seats)	√	√	√	√
Front Seat Belts with Pre-tensioner & Force Limiters (Dr.+Co-Dr.)	√	√	√	√
Seat Belt Reminder Lamp and Buzzer (All Passengers)	√	√	√	√
Front Seat Belt Height Adjuster	-	-	√	√
High Speed Alert System [*]	√	√	√	√
Speed Sensitive Auto Door Lock	√	√	√	√
Security Alarm	-	√	√	√
Rear Parking Sensors	√	√	√	√
Rear Parking Camera	-	-	-	√
Central Locking	√	√	√	√
Front Fog Lamps	-	-	√	√
**SUZUKI CONNECT				
Safety and Security				
Emergency Alerts	-	-	√	√
Breakdown notification	-	-	√	√
Stolen Vehicle Notification and Tracking	-	-	√ √	√ √
Tow Away Alert and Tracking Geo-Fence	 	-	√ √	J
Time Fence	1 .	-	√	√ √
Valet Alert	+ -	+ -	√ √	J
Trips and Driving Behaviour				
Trip Summary			J	J .
Driving Behaviour	+	1 -	√ √	J
Share Trip History	+	1 -	√ √	V √
Area Guidance Around Destination	-	-	1	√
Vehicle location Sharing		_	√ ·	√
Alerts and Notifications		1		
Overspeed	T .	T -	√	√ √
Seatbelt		-	√	1
AC Idling	-	-	√	· √
Trip (Start & End)	-	-	√	1
Low Fuel** & Low Range##	-	-	√	1
Dashboard View	-	-	√	√ .
Remote Functions		-		
Door Lock/Cancel Lock	T -	-	√	√ √
Hazard Light ON/OFF	-	-	√	· √
Headlight OFF^^*	-	-	-	· ·
Alarm	-	-	√	√ .
mmobilizer Request		-	· √	1
Battery Health	-	-	√	1
Smartwatch Connectivity	-	-	√	√ .
Suzuki connect skill for Amazon, Aleva		-	J	J

FEATURES & SPECIFICATIONS	PETROL	CNG		
Variants	LXi MT, VXi MT, VXi AT, ZXi MT, ZXi AT, ZXi+ MT, ZXi+ AT	VXi MT, ZXi MT		
Dimensions				
Length (mm)	4395			
Width (mm)	1735			
Height (mm) (Unladen)	1690			
Wheelbase (mm)	2740			
Turning Radius (m)	5.2			
Seating Capacity	7			
Engine				
Туре	K15C SMART HYBRID	K15C		
Capacity (cc)	1462	1462		
Compression Ratio	12.0 ± 0.3	12.0 ± 0.3		
Power (kW@RPM)	75.8@6000	74.0 @ 6000 (Gasoline Mode) 64.6 @ 5500 (CNG Mode)		
Torque (Nm@RPM)	136.8@4400	136.0 @ 4400 (Gasoline Mode) 121.5 @ 4200 (CNG Mode)		
Emission Type	BS VI			
Fuel Tank Capacity (L)	45	Petrol: 45 CNG: 60 (Water Equivalent)		
Drive & Transmission				
Drive	2WD, FF			
Transmission	5MT / 6AT	5MT		
Brake				
Front	Disc			
Rear	Drum			
Suspension				
Front	Mac Pherson Strut & Coil Spring			
Rear	Torsion Beam & Coil Spring			
Tyre Size	185/65 R15			
Weight	·			
Kerb Weight (kg)	1150-1205	1250-1255		
Gross Vehicle Weight (kg)	1760(MT), 1785(AT)	1820		
New Technology				
Idle Start Stop	√	-		
Brake Energy Regeneration	√	-		
Torque Assist	· ·	=		

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AT-Automatic Transmission

COLOUR SPECIFICATIONS



Drive with a mileage of:



km/l LXi MT, VXi MT,

26.11^{*} VXi MT, ZXi MT



VXi AT, ZXi MT, ZXi+ MT ZXi AT, ZXi+ AT

Fr: Front; Rr: Rear; AT:Automatic Transmission; MT: Manual Transmission; MID: Multi Information Display

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and lso to discontinue models and/or replace any part or accessory with any product. Any offers made will be subject to availability of the product. For more details, contact your nearest store. The black glass in the vehicle is due to lighting effect. Images are for reference purpose only. Accessories and features shown in the pictures may not be part of standard equipment. Features shown may vary from variant to variant. Colours may vary from actual body colour due to printing on paper. All images in this brochure are creative visualisation. ***Spare wheel is of steel material.

√ (AT)

√ (AT)

Suzuki connect skill for Amazon, Alexa****

Remote AC

~Apple and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc., Apple CarPlay is a vailable in the countries listed in the following link: http://www.apple.com/ios/carplay. *Android Auto" extends the Android Auto app on Google Play". Android Auto app on Google Play". Android Auto savailable in the countries listed at the following link: https://www.android.com/auto/#hit-the-road. Most phones with Android 5.0+ work with Android 4.0to. https://support.google.com/androidauto/#6140477. Android, Android Auto, Google, Google Play and other marks are trademarks of Google Inc. Image used are for illustration purposes only. "The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 18 km/h, speed alert warning will resume. If the vehicle is showed down to about 78 km/h, speed alert erwarning will resume. If the vehicle is showed down to about 78 km/h, speed alert erwarning will stop. (available in the vehicle is showed down to about 78 km/h, speed alert erwarning will stop. (available in the vehicle speed exceeds about 10 km/h, speed alert warning will stop. (available in the vehicle speed is a slowed down to about 78 km/h, speed alert warning will stop to the vehicle speed exceeds about 10 km/h, speed alert warning will stop to the vehicle speed exceeds about 10 km/h, speed alert warning will stop to the vehicle speed exceeds about 10 km/h, speed alert warning will stop to the vehicle speed exceeds about 10 km/h, speed alert system gives audible warning for alert of over-speed to down to about 78 km/h, speed alert system gives audible warning for alert of over-speed to down to about 78 km/h, speed alert system gives audible warning will stop to the vehicle speed exceeds about 10 km/h, speed alert system gives audible warning will stop to the vehicle speed exceeds about 10 km/h, speed alert system gives audible warning will stop to the vehicle speed exceeds about 10 km/h, speed alert system gives and speed alert sy

