


For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180


Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel.011-46781000.



















































*Actual screen content may vary basis software update. The logos shown are trademarks of the company.












Feel protected with the strong
Heartect Platform, strengthened by an
impact-absorbing structure. It assures
you safety and stability.













| FEATURE LIST | | VARIANTS | | | | | | |
|------------------------|---|----------|-----|---------------------|---|--|--|--|
| Grade Name | | Std. | LXi | VXi MT / VXi AGS | VXi+ MT / VXi+ AGS | | | |
| INTERIORS | Dynamic Centre Console | √ | √ | √ | √ | | | |
| | High Seating for commanding drive view | √ | √ | √ | √ | | | |
| | Coloured Centre Garnish | - | - | - | Silver / Orange in Sizzle orange body color | | | |
| | Front Cabin Lamp (3 positions) | √ | √ | √ | √ | | | |
| | Sunvisor (Dr+Co. Dr) | 0 | √ | √ | √ | | | |
| COMFORT | AC with Heater | - | √ | √ | √ | | | |
| | Power Steering | - | √ | √ | √ | | | |
| | Accessory Socket | - | - | √ | √ | | | |
| | Front Console Utility Space | √ | √ | √ | √ | | | |
| | 1L Bottle Holders with Map Pockets (front doors) | √ | √ | √ | √ | | | |
| | Rear Console Utility Space | √ | √ | √ | √ | | | |
| | Co-Driver Side Utility Space | √ | √ | √ | √ | | | |
| | Reclining & Front Sliding Seats | √ | √ | √ | √ | | | |
| | Remote keyless entry | - | - | √ | √ | | | |
| | Rear Parcel Tray | - | - | - | √ | | | |
| | Front Power Windows | - | - | √ | √ | | | |
| | Internally Adjustable ORVMs (Dr+Co. Dr) | - | - | - | √ | | | |
| INFOTAINMENT SYSTEM | SmartPlay Studio - 17.78 cm Touch Screen Infotainment System | - | - | - | √ | | | |
| | SmartPlay Dock | - | - | √ | - | | | |
| | Apple CarPlay and Android Auto | - | - | - | √ | | | |
| | Bluetooth | - | - | √ | √ | | | |
| | Speakers | - | - | 2 | 2 | | | |
| | USB connectivity/Aux | - | - | √ | √ | | | |
| | Steering-Mounted Audio & Voice Control | - | - | - | √ | | | |
| SAFETY AND SECURITY | HEARTECT Platform | √ | √ | √ | √ | | | |
| | Driver side Airbag | √ | √ | √ | √ | | | |
| | ABS with EBD | √ | √ | √ | √ | | | |
| | Seat belt reminder (Dr+Co. Dr) with Buzzer | √ | √ | √ | √ | | | |
| | Reverse Parking Sensors | √ | √ | √ | √ | | | |
| | Speed Alert System [^] | √ | √ | √ | √ | | | |

| FEATURE LIST | | VARIANTS | | | | | |
|-----------------------|---|----------|-----|---------------------|--------------------|--|--|
| Grade Name | | Std. | LXi | VXi MT / VXi AGS | VXi+ MT / VXi+ AGS | | |
| SAFETY AND | Pedestrian protection | √ | √ | √ | √ | | |
| SECURITY | Crash compliance | √ | √ | √ | √ | | |
| | Immobiliser | √ | √ | √ | √ | | |
| | Child Proof Rear Door Lock | √ | √ | √ | √ | | |
| | Speed Sensitive Auto Door Lock | - | - | √ | √ | | |
| | Central Door Locking | - | - | √ | √ | | |
| | Passenger side Airbag | 0 | 0 | 0 | √ | | |
| | Seatbelt Pre-tensioner and Force Limiter (Dr+Co. Dr) | 0 | 0 | 0 | √ | | |
| | Low Fuel Warning (In SmartPlay Studio) | - | - | - | √ | | |
| | Door Ajar Warning (In SmartPlay Studio) | - | - | - | √ | | |
| | Parking Brake Warning | - | - | - | √ | | |
| EXTERIOR | SUV Inspired Bold Front Fascia | √ | √ | √ | √ | | |
| | Twin Chamber Headlamps | √ | √ | √ | √ | | |
| | Roof Antenna | - | - | √ | √ | | |
| | Signature C shaped Tail Lamps | √ | √ | √ | √ | | |
| | B-Pillar Black out Tape | - | - | - | √ | | |
| | Side Body Cladding | √ | √ | √ | √ | | |
| | Body Coloured Bumpers | - | - | √ | √ | | |
| | Body Coloured ORVMs | - | - | - | √ | | |
| | Body Coloured Outside Door Handles | - | - | - | √ | | |
| | Full Wheel Covers | - | - | √ | √ | | |
| INSTRUMENT CLUSTER | Digital Display in the Instrument Cluster | √ | √ | 1 | √ | | |
| | Fuel Consumption (Instantaneous & Average) | - | - | √ | √ | | |
| | Headlamp On Warning | - | - | √ | √ | | |
| | Gear Shift Indicator (MT only) | - | - | √ | √ | | |
| | Gear Position Indicator (AGS only) | - | - | √ | √ | | |
| | Distance to empty | _ | _ | √ | √ | | |

| TECHNICAL SPECIF | ICATION | | | | | | | | | |
|-------------------------|------------------------|-----------------------------------|--|-----------------|------------|----------------|-------------------|-----------------------|--------------------|--|
| | | | | | PET | ΓROL | | | | |
| DIMENSIONS | Length (mm) | 3565 | | | | | | | | |
| | Width (mm) | 1520 | | | | | | | | |
| | Height (mm) | 1549 (Std., LXi) 1564 (VXi, VXi+) | | | | | | | | |
| | Wheelbase (mm) | 2380 | | | | | | | | |
| | Turning Radius (m) | 4.5 | | | | | | | | |
| | Seating Capacity | | 5 | | | | | | | |
| ENGINE | Туре | K10B | | | | | | | | |
| | Capacity (cc) | 998 | | | | | | | | |
| | Compression Ratio | | 11.0:1 | | | | | | | |
| | Bore X Stroke (mm) | 73.0 X 79.5 | | | | | | | | |
| | Power (kW @ RPM) | 50 @ 5500 | | | | | | | | |
| | Torque (Nm @ RPM) | 90 @ 3500 | | | | | | | | |
| | Fuel Type | Petrol | | | | | | | | |
| | Fuel Tank Capacity (L) | 27 | | | | | | | | |
| EMISSION TYPE | | BS VI | | | | | | | | |
| DRIVE & TRANSMISSION | Drive | 2WD, FF | | | | | | | | |
| | Transmission | | 5MT / AGS | | | | | | | |
| BRAKE | Front | Ventilated Disc | | | | | | | | |
| | Rear | | Drum | | | | | | | |
| SUSPENSION | Front | MacPherson Strut with Coil Spring | | | | | | | | |
| | Rear | | Torsion Beam with Coil Spring | | | | | | | |
| | Tyre Size | | 145/80 R13 (Std., Lxi), 165/70 R14 (Vxi, Vxi+) | | | | | | | |
| WEIGHT | Kerb Weight (kg) | Variant MT AGS | Std. 726 | Std. (O) 730 | LXi 737 | LXi (O) 740 | VXi 758 764 | VXi (O) 761 767 | VXi+ 763 767 | |
| | Maximum GVW (kg) | | 1170 | | | | | | | |





#Height = 1549 for Std and LXi variant.

CHOICE OF COLOURS



Drive with a mileage of:



1.7^{*} m/l

21.7 km/l

VXi+ MT VXi+ AGS

*As certified by test agency under rule 115(G) of Central Motor Vehicle Rules, 1989.

All variants are BS VI compliant.

Std.: Standard, AGS: Auto Gear Shift, MT: Manual Transmission, O: Opt. (available in Std., LXi & VXi variants)

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. ^The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.