





SMARTPLAY STUDIO WITH
SMARTPHONE NAVIGATION AND 4 SPEAKERS

Take your in-car entertainment a notch higher.





STEERING MOUNTED CONTROLS

Experience ease of accessing music and calls with one touch.



AUTO GEAR SHIFT TECHNOLOGY

For a smooth and easy driving experience.

STRONG ON TECHNOLOGY

Elevate your driving experience with sleek new technology that makes your life smooth and comfortable.





ADVANCED K-SERIES ENGINES WITH IDLE START-STOP (ISS)"

For improved Engine efficiency & a truly powerful drive.

25.19#km/I FOR PETROL VARIANT*

34.05 km/kg FOR CNG VARIANT

1.2 L ADVANCED K-SERIES DUAL JET,
DUAL VVT ENGINE WITH ISS**



て 1.0 L NEXT-GEN K-SERIES DUAL JET,
DUAL VVT ENGINE WITH ISS##



STRONG ON PERFORMANCE

A drive that's powerful enough to keep up with the world.

***Only applicable for K10C Engine
"For Petrol variants *For 1.0L VXI AGS Variant
'As certified by Test Agency Under Rule 115 (G) of Central Motor Vehicles Rules 1989.







FEATURES & SPECIFICATIONS	VARIANTS						
	1.	.0L	1.2L				
GRADE NAME	LXi/ LXi CNG	VXi / VXi AGS / VXi CNG	ZXi / ZXi AGS	ZXi+/ ZXi+ AGS			
INTERIORS							
Dual Tone Interiors	√	√	√	√			
2 nd Row 60:40 Split Seat	-	√	1	√			
Front Cabin Lamps (3 Positions)	√	√	√	√			
Day/Night IRVM	-	√	√	√			
Tilt Steering	-	√	√	√			
Steering Wheel Garnish	-	√	√	√			
Silver Inside Door Handles	-	√	√	√			
Driver Side Sunvisor with Ticket Holder	√	√	√	√			
Front Passenger Side Vanity Mirror Sunvisor	-	√	√	√			
Silver Finish Gear Shift Knob (AGS Only)	-	√	√	√			
INSTRUMENT CLUSTER							
Instrument Cluster Meter Theme	Reddish Amber	Reddish Amber	Reddish Amber	White			
Low Fuel Warning	√	√	V	√			
Tachometer	-	-	-	√			
Gear Shift Indicator (MT Only)	√	√	√	√			
Gear Position Indicator (AGS Only)	-	√	√	√			
Fuel Consumption (Instantaneous and Avg.)	√	√	√	√			
Distance to Empty	√	√	√	√			
Headlamp On Warning	√	√	√	√			
Door Ajar Warning Lamp	√	√	√	√			
COMFORT & CONVENIENCE							
Idle Start Stop (ISS)	√ (Petrol)	√ (Petrol)	√	√			
Rear Defogger	-	-	-	√			
Remote Keyless Entry	-	√	√	√			
Accessory Socket Front Row with Storage Space	√	√	√	√			
Power Windows (Fr/Rr) with Dr. Side Auto Down Function	Only Front	√	√	√			
AC & Heater	√	√	√	√			
1L Bottle Holders (All Four Doors + Floor Console)	√	√	√	√			
Rear Parcel Tray	CNG Only	√	√	√			
Co-Driver Side Front Seat Under Tray & Rear Back Pocket	-	-	-	√			
Reclining & Front Sliding Seats	√	√	√	√			

FEATURES & SPECIFICATIONS	VARIANTS						
	1	.0L	1.2L				
GRADE NAME	LXi/ LXi CNG	VXi / VXi AGS / VXi CNG	ZXi / ZXi AGS	ZXi+/ ZXi+ AGS			
INFOTAINMENT SYSTEM							
17.78 cm Smartplay Studio with Smartphone Navigation	-	-	-	√			
Smartplay Dock	-	√	√	-			
Apple CarPlay and Android Auto	-	-	-	√			
Bluetooth	-	√	√	√			
Number of Speakers	-	2	2	4			
USB CONNECTIVITY/AUX	-	√	√	√			
Steering Mounted Audio Control	-	-	√	√			
Steering Mounted Voice Control	-	-	-	√			
SAFETY & SECURITY							
Driver Airbag**	√	√	√	√			
Passenger Airbag	√	√	√	√			
ABS with EBD	√	4	√	√			
Electronic Stability Program (ESP)	√	√	√	√			
Seat Belt Pre-tensioner & Force Limiters (Dr.+Co-Dr.)	√	4	√	√			
Seat Belt Reminder with Buzzer (Dr.+Co-Dr.)	√	√	√	√			
Seat Belts for all seats^^^	√	√	√	√			
Speed Alert System ^{AA}	√	√	√	√			
Speed Sensitive Auto Door Lock	-	√	√	√			
Security Alarm	-	√	√	√			
Rear Parking Sensors	√	√	√	√			
Central Locking	√	√	√	√			
Child Proof Rear Door Lock	√	√	√	√			
Front Fog Lamps	-	-	-	√			
Hill Hold Assist	-	AGS	AGS	AGS			
EXTERIORS							
Roof Antenna	√	√	√	√			
Full Wheel Cover	Center Cap	√	√	-			
Alloy Wheels	-	-	-	√			
ORVM with Turn Indicators	-	-	-	√			
Electrical Adjustable ORVM	-	√	√	√			
Electrical Retractable ORVM	-	-	-	√			
Rear Wiper & Washer	-	-	-	√			
B-Pillar Black Out Tape	-	-	√	√			
Body Coloured Door Handles	-	√	√	√			
Body Coloured Bumpers	√	√	√	√			
Body Coloured ORVMs	-	√	√	√ (Black in dual tone)			
Dual Tone Exteriors	-	-	-	√ (Optional)			

FEATURES & SPECIFICATIONS	PETROL & CNG									
		1.0L					1.2L			
GRADE NAME	LXI, LXI CNG, VXI, VXI AGS, VXI CNG				ZXi, ZXi AGS, ZXi+, ZXi+ AGS					
DIMENSIONS										
Length (mm)	3655									
Width (mm)		1620								
Height (mm)	1675									
Wheelbase (mm)	2435									
Turning Radius (m)	4.7									
ENGINE										
Туре			K10C					K12N		
Capacity (cc)			998					1197		
Number of cylinders			3					4		
Maximum engine output	Petrol		5.62 PS) @ 5				66 kW (89.7	'3 PS) @ 6000	rpm	
(kW @ rpm)	CNG	CNG 41.7 kW (56.70 PS) @ 5300 rpm (CNG mode) 48.0 kW (65.26 PS) @ 5500 rpm (Petrol mode)			-					
	Petrol	Petrol 89.0 Nm @ 3500 rpm				113 Nm @ 4400 rpm				
Maximum torque (Nm @ rpm)	CNG 82.1 Nm @ 3400 rpm (CNG mode) 89.0 Nm @ 3500 rpm (Petrol mode)			-						
SUSPENSION										
Front	MacPherson Strut with Coil Spring									
Rear	Torsion Beam with Coil Spring									
CAPACITIES										
Seating Capacity		5								
Fuel Tank Capacity (L)	32 (Petrol) / 60 (Water equivalent)				32 (Petrol)					
Boot Space (Litres)	341^ (Petrol)									
WHEELS & TYRES										
Size	155/80R13 (LXi 1.0L/ LXi CNG 1.0L), 165/70R14 (VXi 1.0L, VXi 1.0L CNG)			,	165/70R14 (ZXi 1.2L, ZXi+ 1.2L)					
Type**	Radial & Tubeless, Steel Wheels			Radial & Tubeless, Steel Wheels (ZXi 1.2L) Radial & Tubeless, Alloy Wheels (ZXi+ 1.2L)						
BRAKES										
Front					Di	sc				
Rear	Drum									
WEIGHT										
Gross Vehicle Weight (kg)	1340									
Kerb Weight (kg)	LXi MT	VXi MT	VXi AGS	LXi CNG MT	VXi CNG MT	ZXi MT	ZXi AGS	ZXi+ MT	ZXi+ AGS	
	810	825	835	910	920	835	840	845	850	
Transmission	MT (LXi 1.0L / LXi CNG 1.0L / VXi CNG 1.0L / VXi 1.0 L) MT/AGS (2Xi 1.2L / 2Xi+ 1.2L)					1.2L)				

Colour specifications



Drive with a mileage of:

МТ

WagonR Petrol 1L 1.35[#] 25.19[#] km/l

AGS

34.05 km/kg

MT

23.56*
km/l


WagonR Petrol 1.2L 3.56[#]
24.43
km/l

AGS

Dimensions (in mm)







All variants are BS VI (including OBD-II) compliant. *As certified by Test Agency Under Rule 115 (G) of Central Motor Vehicles Rules 1989. AGS: Auto Gear Shift: MT: Manual Transmission.

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Any offers made will be subject to availability of the product. For details, on functioning of safety features, including air bag, kindly refer to the Owner's Manual. For more details, contact your nearest store. *Spare whee landerial is steed [for all variants]. "VDA Method. *VDA Method. *VDA Method. *It is designed to minimise distraction so you can focus on driving with Google Search." Get the Android Auto app on Google Play." *Android Auto is available in the countries listed at the following link:

Antion action and the speed exceeds about 80 km/h, primary warning will resume, If the vehicle is slowed down to about 718 km/h, primary warning will resume, If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 118 km/h, primary warning will resume, If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed down to about 118 km/h primary warning will resume. If the vehicle is slowed and the vehicle is slowed and the vehicle slowed and the



For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel. 011-46781000.