





EXTERIOR







INTERIOR





INFOTAINMENT



POWERFUL 8 SPEAKER SURROUND SYSTEM





COMFORT & CONVENIENCE







SAFETY





INCREDIBLE PERFORMANCE

The advanced iCNG technology assures an unmatched performance, no matter where the road takes you. Quick for city traffic and powerful enough to zip through highways during long commutes. It's the perfect combination of Power and Pickup.



INCREDIBLY POWERFUL[^] CNG SEDAN

The iCNG technology has been designed to deliver exceptional driving experience with best-in-class* power of 73 ps in CNG mode.



EASY CITY MANOEUVRABILITY

The iCNG technology allows you to manoeuvre through city traffic with ease using clutch-only pick-up. Now, no more losing your cool by pressing the clutch repeatedly.



EFFORTLESS DRIVE IN EVERY TERRAIN

The iCNG technology allows you to climb ghats in CNG mode with ease, without lowering gears or switching to Petrol mode.



RETUNED SUSPENSION

The suspension has been tuned specially for CNG to give smoother rides with 165 mm ground clearance.



CNG - iCONIC SAFETY

The Tigor comes with the best-in-class safety* features and a 4-star Global NCAP rating. It also features an energy-absorbing structure that provides added rigidity to the car's chassis, thus ensuring the safety of the driver and passengers.



LEAK-PROOF DESIGN

The i-CNG kit has been tested across temperatures and pressures and prevents any gas leaks because it uses high-quality stainless-steel tube and fittings.



MICRO SWITCH

The micro switch gives additional safety, switching off the ignition as soon as the fuel lid is opened. Also, it will not allow the car to start until the lid is securely closed, with "CLOSE FUEL LID" alert flashing on the instrument cluster.



THERMAL INCIDENT PROTECTION

The i-CNG technology immediately cuts off CNG supply to the engine in case of a thermal incident and releases gas from the cylinder directly into the atmosphere through a special nozzle as a measure of safety.



LEAK DETECTION FEATURE

The iCNG technology automatically switches from CNG to petrol mode in case of a gas leak and protects the car and passengers from any harm.



FIRE PROTECTION DEVICE

The smartly positioned fire extinguisher, placed under the co-driver seat makes sure that safety is easily accessible.



STRINGENT QUALITY CONTROL

Tigor iCNG is tested rigorously at every stage of manufacturing and uses best quality components to ensure a stress-free experience for customers.



• CNG - INTELLIGENT TECHNOLOGY

iCNG's intelligent technology works effortlessly to ensure a seamless driving experience for you at every step. From ensuring high performance to lowering maintenance cost, smart technology is a delight at every turn.



SINGLE ADVANCED ECU

The iCNG technology uses single ECU to ensure seamless shifting between CNG and Petrol.

Advanced ECU maintains optimum air-fuel ratio to give an incredible performance and high fuel efficiency.



DIRECT START IN CNG

The iCNG technology allows you to start the vehicle directly in CNG Mode. Now enjoy every drive stress-free, without worrying about switching to CNG mode.



AUTO SWITCHOVER BETWEEN FUELS

The iCNG technology automatically switches to Petrol mode in case of low CNG. The "CNG LOW FUEL" alert on instrument cluster informs the customer about low fuel.



FASTER RE-FUELING

The iCNG technology ensures faster and safer refuelling with NGV 1 receptacle special nozzle.



MODULAR FUEL FILTER

The iCNG technology comes with Modular Fuel Filter that only requires cartridge changes instead of entire filter replacements, generating less hazardous waste and lowering the cost of maintenance.



ENVIRONMENT FRIENDLY

The iCNG technology not only gives great performance, but also ensures a healthier and greener environment for the future generation with 24% lower CO2 emission as compared to gasoline cars.





P E R F O R M A N C E





C O L O U R S



| | FEATURES | | | |
|---|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Variant | XE | XM | XZ | XZ+ |
| 1.2L Petrol | MT | MT & AMT | MT | MT & AMT |
| 1.2L iCNG | | MT | MT | MT |
| Exteriors 3-dimensional Headlamps | / | 1 | ✓ | - |
| 5-aimensional Headlamps Body Coloured Bumper | ✓ | ✓ ✓ | ✓ | - / |
| Humanity Line with Chrome Finish | · / | · · · · · · · · · · · · · · · · · · · | · / | · · · · · · · · · · · · · · · · · · · |
| Chrome Finish on Rear Bumper | · / | · / | · / | · / |
| Crystal Inspired LED Tail Lamps | ✓ / | 1 | ✓ | / |
| High Mounted LED Stop Lamp | ✓ | ✓ | ✓ | ✓ |
| Premium Piano Black Finish ORVMs | Black | Black | ✓ | ✓ |
| Fog Lamps with Chrome Ring Surrounds | | | ✓ | ✓ |
| Chrome Lined Door Handles | | | ✓ | ✓ |
| Stylish Black Finish on B Pillar | | | / | / |
| LED Turn Indicator on ORVMs | | - | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| Full Wheel Covers Stylish Sonic Silver Alloy Wheels | | ✓ - | ✓ - | - Petrol |
| Styrish Sonic Silver Alloy Wheets R14 Hyperstyle Wheels | | | | iCNG |
| Grille with Chrome Finish Tri Arrow Motif | | | | ICNG |
| Chrome Lined Lower Grille | | | | / |
| Piano Black Shark Fin Antenna | | | | |
| Signature LED DRLs | | | | / |
| Sparkling Chrome Finish Along Window Line | | | | / |
| Striking Projector Headlamps | | | | √ |
| Interior | | | | |
| Premium Light Grey & Slate Interior | ✓ | ✓ | - | - |
| Premium Dual Tone Black & Beige Interior | | | ✓ | / |
| Full Fabric Seat Upholstery | ✓ | ✓ | | |
| Premium Tri Arrow Motif Seat Upholstery | | | / | / |
| Door Pocket Storage | · · · · · · · · · · · · · · · · · · · | √ | · / | · / |
| Tablet Storage in Glove Box | · / | √ | √ | / |
| Collapsible Grab Handles Front Power Outlet | ✓ ✓ | | ✓ ✓ | ✓ ✓ |
| Front Power Outlet Chrome Finish Around AC Vents | | ✓ ✓ | ✓ ✓ | <i>'</i> |
| Chrome Finish Around AC vents Interior Lamps with Theatre Dimming | | | ✓ | |
| Piano Black Finish Around Infotainment System | | / | √ | |
| Rear Power Outlet | | | | |
| Body Colour Co-ordinated AC Vents* | | | - | |
| Fabric Lined Rear Door Arm Rest | | | | / |
| Premium Knitted Roof Liner | | | | ✓ |
| Leatherette Pack | | | | LP |
| Car Infotainment | | | | |
| Next-gen Infotainmentt System by Harman™ | | 1 | ✓ | |
| 17.78 cm Touchscreen Infotainment by Harman™ | | | | ✓ |
| Premium Harman™ Sound System with 4 Speakers | | ✓ | ✓ | // |
| Tweeters | | - | 2 Tweeters | 4 Tweeters |
| AM/FM, USB, iPOD & Bluetooth Connectivity | | √ | ✓ | / |
| Phone Book Access | | √ | √ | · · · · · · · · · · · · · · · · · · · |
| Audio Streaming Steering Mounted Audio & Phone Controls | | ✓ - | √ | / / |
| Steering Mounted Audio & Phone Controls Apple CarPlay [™] and Android Auto [™] | | | <u>/</u> | ✓ ✓ |
| mage & Video Playback | | | | · / |
| Digital Controls for Automatic Climate Control | | | | |
| ConnectNext App Suite | | | | |
| Call Reject with SMS feature | | | | · / |
| Incoming SMS Notifications & Read-Outs** | | | | / |
| Instrument Panel | | | | |
| Digital Instrument Cluster | ✓ | ✓ | ✓ | ✓ |
| Digital Clock | ✓ | ✓ | ✓ | / |
| Gear-Shift Display | ✓ | ✓ | ✓ | ✓ |
| Trip Meter | ✓ | ✓ | ✓ | ✓ |
| Average Fuel Efficiency | / | / | / | / |
| Distance to Empty | · · | √ | / | / |
| Driver & Co-driver Seat Belt Reminder | · / | √ | · / | · / |
| Door Open & Key-in Reminder | ✓ VE | ✓ VM | √ ∨7 | ✓ ×7. |
| Variant | XE | XM | XZ | XZ+ |
| 1.2L Petrol | MT | MT & AMT | MT | MT & AMT |

| .2L iCNG Safety & Security | | | MT | | |
|--|---|---|---|--|--|
| Engine Immobiliser | | / | / | 1 | |
| Engine immobiliser Driver & Co-Driver Airbags | | <i>'</i> | | | / |
| | Sector 1 | | | | |
| ABS with EBD & Corner Stability C | | · / | · / | √ | / |
| Seat Belt with Pretensioners & Lo | | / | | √ | <i></i> |
| Seat Belt Reminder (Driver + Co-D | iriver) | 1 | / | √ | · / |
| Puncture Repair Kit | | / | · / | · / | √ |
| Rear Parking Sensor & Display | Ü | nly Sensor | ✓ | ✓ | - |
| Rear Parking Assist Camera | | | | | ✓ |
| Day & Night IRVM | | | ✓ | ✓ | √ |
| Speed Dependent Auto Door Lock | | | ✓ | ✓ | ✓ |
| Follow-Me-Home & Approach Lan | nps | | | ✓ | ✓ |
| Front Fog Lamps | | | - | ✓ | ✓ |
| Automatic Headlamps | | | | | ✓ |
| Rear Defogger | | | - | - | / |
| Tyre Pressure Monitoring System | | | - | - | / |
| Comfort & Convenience | | | | | |
| Electric Power & Tilt Adjustable St | eering | √ | √ | √ | √ |
| Adjustable Front Head Rests | | / | / | · / | |
| Power Windows | | Front | | <u> </u> | |
| Finted Glass (Windows & Tailgate | Glass) | ✓ | | | |
| Manual Air Conditioner & Heater | | / | | | <u> </u> |
| Electrically Adjustable ORVMs | | Manual | Manual | | |
| Central Locking with Remote Flip | Kau | - | Manual | √ | |
| | neg | | - | | |
| Electrical Boot Unlocking | adayy | | | √ | · / |
| One Shot Down on Driver Side Wi | | | | √ | |
| Push Button Start with Keyless Er | ntry | | | ✓ | · / |
| Cooled Glove Box | | | | √ | ✓ |
| Foldable Rear Arm Rest with Cup | Holders | | | ✓ | ✓ |
| Rain Sensing Wipers | | | | | ✓ |
| Autofold ORVM with Welcome Fu | nction | | | | 1 |
| | | | | | |
| Driver Seat Height Adjustment | | | - | | / |
| Driver Seat Height Adjustment Fully Automatic Temperature Conl | trol | | - | | ✓ ✓ |
| Fully Automatic Temperature Conl /anity Mirror on Co-driver Side eatherette Pack – Available on Ti | | - | - | - | |
| Fully Automatic Temperature Conl Vanity Mirror on Co-driver Side | gor XZ+ | - | - - Leather | | / |
| Fully Automatic Temperature Conl /anity Mirror on Co-driver Side eatherette Pack – Available on Ti | gor XZ+ | | - - Leather | - | / |
| Fully Automatic Temperature Conl /anity Mirror on Co-driver Side eatherette Pack – Available on Ti | gor XZ+ | - | - - Leather | - | / |
| Fully Automatic Temperature Coni /anity Mirror on Co-driver Side eatherette Pack – Available on Ti remium Leatherette Seats | gor XZ+ TECHNICAL S | - - SPECIFICATIO | - - Leather | - - Steering Wheel | / |
| Fully Automatic Temperature Coni /anity Mirror on Co-driver Side eatherette Pack – Available on Ti remium Leatherette Seats | gor XZ+ TECHNICAL S | - - SPECIFICATIO | - - Leather NS | - - Steering Wheel | / |
| Fully Automatic Temperature Conting Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) | gor XZ+ TECHNICAL S | - - SPECIFICATIO | - Leather NS nensions | - - Steering Wheel | / |
| Fully Automatic Temperature Cont /anity Mirror on Co-driver Side eatherette Pack – Available on Ti remium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) | gor XZ+ TECHNICAL S Petrol | - - SPECIFICATIO | Leather NS nensions 1677 x 1532 | - - Steering Wheel iCNG | / |
| Fully Automatic Temperature Conting Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) | gor XZ+ TECHNICAL S Petrol 170 | - - SPECIFICATIO | Leather NS nensions 1677 x 1532 | - - Steering Wheel | / |
| Fully Automatic Temperature Cont /anity Mirror on Co-driver Side eatherette Pack – Available on Ti remium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) | gor XZ+ TECHNICAL S Petrol | - - SPECIFICATIO Dir 3993 : | - Leather NS mensions x 1677 x 1532 2450 | - - Steering Wheel iCNG | / |
| Fully Automatic Temperature Cont /anity Mirror on Co-driver Side eatherette Pack – Available on Ti remium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) | gor XZ+ TECHNICAL S Petrol 170 | - - SPECIFICATIO Dir 3993 : | Leather NS nensions (1677 x 1532 2450 | - - Steering Wheel iCNG | / |
| Fully Automatic Temperature Conting Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) | gor XZ+ TECHNICAL S Petrol 170 | - - SPECIFICATIO Dif 3993 : | Leather NS nensions 1677 x 1532 2450 Engine votron Engine | - - Steering Wheel iCNG | ✓ |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders | gor XZ+ TECHNICAL S Petrol 170 419 | - - SPECIFICATIO Dir 3993 : 1.2L Re 3 Cylin | Leather NS mensions 1677 x 1532 2450 Engine votron Engine ider, 1199 CC | - - Steering Wheel iCNG | <i>'</i> |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Power | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ | | Leather NS nensions 1677 x 1532 2450 Engine votron Engine ider, 1199 CC | - Steering Wheel iCNG 165 NG - 73.4 PS @6000 | √ √ |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders | gor XZ+ TECHNICAL S Petrol 170 419 | | Leather NS nensions 11677 x 1532 2450 Engine votron Engine dder, 1199 CC C | - - Steering Wheel iCNG | √ √ |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r | | Leather NS nensions 1677 x 1532 2450 Engine votron Engine ider, 1199 CC | - - Steering Wheel iCNG 165 NG - 73.4 PS @6000 NG - 95 Nm @ 3500 | √ √ O r/min O r/min |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Power | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ | | Leather NS mensions (1677 x 1532 2450 Engine votron Engine inder, 1199 CC Consmission | - Steering Wheel iCNG 165 NG - 73.4 PS @6000 | √ √ O r/min |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r/ Manual - 5 Speed / AMT - 5 | SPECIFICATIO Dir 3993 : 1.2L Re 3 Cylin min /min Trai | Leather NS Leather NS Leather NS L1677 x 1532 2450 Leagine Potron Engine Lider, 1199 CC Consmission Library Library Library Library Leather | - - Steering Wheel iCNG 165 NG - 73.4 PS @6000 NG - 95 Nm @ 3500 Manual - 5 Spee | √ √ O r/min O r/min |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl | SPECIFICATIO Din 3993: 1.2L Re 3 Cylin min /min Tra Speed bone, | Leather NS nensions 1677 x 1532 2450 Engine votron Engine ider, 1199 CC Consmission Chassis | | O r/min O r/min d |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stra | SPECIFICATIO Din 3993: 1.2L Re 3 Cylin min /min Tra Speed tobone, ut Type | Leather NS Mensions 1677 x 1532 2450 Engine votron Engine der, 1199 CC C C smission Lhassis Ind McF | | O r/min O r/min d dishbone, oil Spring |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl | SPECIFICATIO Din 3993: 1.2L Re 3 Cylin min /min Tra Speed tobone, ut Type | Leather NS Mensions 1677 x 1532 2450 Engine votron Engine der, 1199 CC C C smission Lhassis Ind McF | | O r/min O r/min d dishbone, oil Spring |
| Fully Automatic Temperature Conting Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Power Max Torque Fransmission | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stra | | Leather NS mensions 1677 x 1532 2450 Engine votron Engine dder, 1199 CC C nsmission Chassis Ind McF Semi-ir | | Or/min Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Conting Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Power Max Torque Fransmission | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stri Rear Twist Beam with Coil S Mounted on Hydraulic Shock A | | Leather NS mensions 1677 x 1532 2450 Engine votron Engine dder, 1199 CC C nsmission Chassis Ind McF Semi-ir | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr. Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 | Dir 3993 : 1.2L Re 3 Cylin min Trais Speed (bone, but Type Spring Absorbers 14, Steel | Leather NS mensions 1677 x 1532 2450 Engine votron Engine dder, 1199 CC C nsmission Chassis Ind McF Semi-ir | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension Fyre - Size/Type | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stri Rear Twist Beam with Coil S Mounted on Hydraulic Shock A | Diff 3993 : 1.2L Re 3 Cylin min Trais Speed (bone, ut Type Spring Absorbers 4, Steel Alloy | Leather NS Mensions 1677 x 1532 2450 Engine votron Engine nder, 1199 CC Consmission Chassis Ind McF Semi-ir | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr. Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 | | Leather NS Mensions 1677 x 1532 2450 Engine votron Engine dder, 1199 CC Consmission Chassis Ind McF Semi-ir E | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Torque Fransmission Front Suspension Rear Suspension Tyre - Size/Type Spare Tyre - Size/Type | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr. Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 | | Leather VS Mensions 1677 x 1532 2450 Engine votron Engine der, 1199 CC C C C C Smission Chassis Ind Mc Semi-ir E | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack — Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension Fyre - Size/Type | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr. Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 | | Leather NS Mensions 1677 x 1532 2450 Engine votron Engine dder, 1199 CC C C C C Ismission Chassis Ind McF Semi-ir E 10R13, Steel Brakes sc, Rear-Drum | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Torque Fransmission Front Suspension Rear Suspension Tyre - Size/Type Spare Tyre - Size/Type | gor XZ+ TECHNICAL S Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr. Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 | | Leather NS | | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Torque Fransmission Front Suspension Rear Suspension Fyre - Size/Type Spare Tyre - Size/Type Front, Rear Capacity | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stri Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 XZ+, XZA+ - 175/60 R15, A | | Leather NS | Steering Wheel iCNG 165 NG - 73.4 PS @6000 NG - 95 Nm @ 3500 Manual - 5 Spee ependent, Lower Withorson Strut with Codependent, Closed Beam with Dual Path | Or/min Or/min d ishbone, oil Spring Profile Twist |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension Rear Suspension Fyre - Size/Type Spare Tyre - Size/Type Front, Rear Capacity Length X Width X Height (mm) Front Suspension Front Suspension For Size/Type Front, Rear | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr Rear Twist Beam with Coil S Mounted on Hydraulic Shock / XE, XM, XMA, XZ - 175/65 R1 XZ+, XZA+ - 175/60 R15, / | | Leather NS | | Or/min Or/min Or/min d ishbone, oil Spring Profile Twist of Strut el |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Fround Clearance (mm) Boot Space (litres) Engine Type Capacity, Cylinders Max Power Max Torque Fransmission Front Suspension Rear Suspension Rear Suspension Fyre - Size/Type Spare Tyre - Size/Type Front, Rear Capacity Length X Width X Height (mm) Front Suspension Front Suspension For Size/Type Front, Rear | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Strr Rear Twist Beam with Coil S Mounted on Hydraulic Shock / XE, XM, XMA, XZ - 175/65 R1 XZ+, XZA+ - 175/60 R15, / | | Leather NS | Steering Wheel iCNG 165 NG - 73.4 PS @6000 NG - 95 Nm @ 3500 Manual - 5 Spee ependent, Lower Witherson Strut with Condependent, Closed Beam with Dual Path 175/65, R14 Stee | Or/min Or/min Or/min d dishbone, oil Spring Profile Twist o Strut el |
| Fully Automatic Temperature Cont/anity Mirror on Co-driver Side eatherette Pack – Available on Tiremium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres) Engine Type Lapacity, Cylinders Max Power Max Torque Fransmission Fort Suspension Rear Suspension Gyer – Size/Type Spare Tyre - Size/Type Front, Rear Lapacity Lapaci | Petrol 170 419 Petrol- 86 PS @6000 r/ Petrol - 113 Nm @ 3300 r Manual - 5 Speed / AMT - 5 Independent, Lower Wishl McPherson (Dual Path) Stru Rear Twist Beam with Coil S Mounted on Hydraulic Shock A XE, XM, XMA, XZ - 175/65 R1 XZ+, XZA+ - 175/60 R15, A | | Leather NS | Steering Wheel iCNG 165 165 NG - 73.4 PS @6000 NG - 95 Nm @ 3500 Manual - 5 Spee ependent, Lower Witherson Strut with Condependent, Closed Beam with Dual Path 175/65, R14 Stee | Or/min Or/min Or/min d ishbone, oil Spring Profile Twist a Strut el er Capacity) |